## CLAIMS

- 1 1. A tray for supporting a planter, comprising:
- 2 a) a bottom having an upper surface and a lower
- 3 surface;
- 4 b) one or more side walls extending upwardly from the
- 5 bottom of the tray to form a container; and
- 6 c) a drain having an opening formed in said tray, at
- 7 least a portion of the drain opening positioned at or
- 8 below the level of the upper surface of the bottom of the
- 9 tray.
- 1 2. The tray of Claim 1 wherein said upper surface
- 2 slopes downward toward said drain.
- 1 3. The tray of Claim 1 wherein said bottom has at
- 2 least one raised surface for supporting a planter above said
- 3 upper surface.
- 1 4. The tray of Claim 1 wherein the tray is formed of
- 2 a substantially waterproof material.
- 1 5. The tray of Claim 1 wherein the waterproof
- 2 material selected from the group comprising polypropylene,
- 3 polyurethane, polycarbonate, or UBS plastic.
- 1 6. The tray of Claim 1 wherein the tray is provided
- 2 with a fitting at said exit for connecting a drainage tube.
- 1 7. The tray of Claim 6 wherein said drainage tube has
- 2 a generally planar lower surface and a generally curved
- 3 upper surface, said upper surface having a low profile, and
- 4 said drainage tube having a hollow passageway for conducting
- 5 water away from said tray.

- 8. A tray for supporting a planter, comprising:
- 2 a) a bottom having an upper surface and a lower
- 3 surface;
- 4 b) one or more side walls extending upwardly from the
- 5 bottom of the tray to form a container;
- 6 c) a drain formed in said tray, through the bottom of
- 7 the tray, said upper surface sloping downward toward said
- 8 drain;
- 9 d) a passageway through the bottom of the tray
- 10 connecting said drain to an exit in the side of the bottom
- 11 of the tray; and
- e) at least one raised surface extending from the
- 13 bottom of the tray for supporting the planter above the
- 14 upper surface of the tray bottom.
  - 9. The tray of Claim 8 wherein said upper surface
  - 2 slopes downward toward said drain.
  - 1 10. The tray of Claim 8 wherein said bottom has at
  - 2 least one raised surface for supporting a planter above said
  - 3 upper surface.
  - 1 11. The tray of Claim 8 wherein the tray is formed of
  - 2 a substantially waterproof material.
  - 1 12. The tray of Claim 8 wherein the waterproof
  - 2 material selected from the group comprising polypropylene,
  - 3 polyurethane, polycarbonate, or UBS plastic.
  - 1 13. The tray of Claim 8 wherein the tray is provided
  - with a fitting at said exit for connecting a drainage tube.

- 1 14. The tray of Claim 13 wherein said drainage tube
- 2 has a generally planar lower surface and a generally curved
- 3 upper surface, said upper surface having a low profile, and
- 4 said drainage tube having a hollow passageway for conducting
- 5 water away from said tray.
- 1 15. A tray for supporting a planter, comprising:
- 2 a) a bottom having an upper surface and a lower
- 3 surface;
- b) one or more side walls, extending upwardly from the
- 5 bottom of the tray to form a container;
- 6 c) a drain formed in said upper surface, at or below
- 7 the level of the upper surface of the bottom of the tray,
- 8 said upper surface sloping downward toward said drain;
- d) a passageway connecting said drain to an exit; and
- 10 e) at least one raised surface for supporting the
- 11 planter above the upper surface of the bottom of the tray.
  - 1 16. The tray of Claim 15 wherein said upper surface
  - 2 slopes downward toward said drain.
  - 1 17. The tray of Claim 15 wherein said bottom has at
  - 2 least one raised surface for supporting a planter above said
  - 3 upper surface.
  - 1 18. The tray of Claim 15 wherein the tray is formed of
  - 2 a substantially waterproof material.
  - 1 19. The tray of Claim 15 wherein the waterproof
  - 2 material selected from the group comprising polypropylene,
  - 3 polyurethane, polycarbonate, or UBS plastic.

- 1 20. The tray of Claim 15 wherein the tray is provided with a fitting at said exit for connecting a drainage tube.
- 1 21. The tray of Claim 20 wherein said drainage tube 2 has a generally planar lower surface and a generally curved
- 3 upper surface, said upper surface having a low profile, and
- 4 said drainage tube having a hollow passageway for conducting
- 5 water away from said tray.
- 1 22. A planter, comprising:
- 2 a) a bottom having an upper surface and a lower
- 3 surface;
- 4 b) one or more side walls extending upwardly from the
- 5 bottom of the planter to form a container;
- 6 c) a drain forming an opening in said upper surface,
- 7 said upper surface sloping downward toward said drain;
- d) a passageway through the bottom of the planter
- 9 connecting said drain opening to an exit in the side of
- 10 the bottom of the planter; and
- e) at least one raised surface extending upwardly from
- 12 the bottom of the tray for supporting the planter above
- 13 the upper surface of the tray bottom.
  - 1 23. A planter, comprising:
  - 2 a) a bottom having an upper surface and a lower
  - 3 surface;
  - 4 b) one or more side walls extending upwardly from the
  - 5 bottom of the planter to form a container;
  - 6 c) a drain formed in said upper surface, at or below
  - 7 the level of the upper surface of the bottom of the
  - 8 planter, said upper surface sloping downward toward said
  - 9 drain; and

- d) a passageway connecting said drain to an exit in the side of the bottom of the planter.
  - 1 24. A planter, comprising:
  - 2 a) a bottom having an upper surface and a lower 3 surface;
  - b) one or more side walls extending upwardly from the bottom of the planter to form a container;
  - 6 c) a drain formed in said upper surface, through the bottom of the planter;
  - d) a passageway connecting said drain to an exit in the side of the bottom of the planter; and
  - e) a false bottom supported above said bottom of the planter, said false bottom having a drain hole formed therein.

13

- 1 25. A planter system, comprising:
- a) a planter having a bottom and one or more side walls extending upwardly from the bottom of the tray to form a container, said bottom of the planter having at least one drain hole formed therein; and
- 6 b) a tray for supporting said planter, said tray
  7 comprising:
- i) a bottom having an upper surface and a lowersurface;
- 10 ii) one or more side walls extending upwardly from the bottom of the tray to form a container;
- iii) a drain formed in said tray, through the bottom of the tray, said upper surface sloping downward toward said drain;

- 15 iv) a passageway through the bottom of the tray
- 16 connecting said drain to an exit in the side of the
- 17 bottom of the tray; and
- 18 v) at least one structure for supporting the planter
- above the upper surface of the bottom of the tray.
- 20 26. A drainage tube system, comprising:
- one or more drainage tubes, said drainage tubes having
- 22 a generally planar lower surface and a generally curved
- 23 upper surface, said upper surface having a low profile, and
- 24 said drainage tube having a hollow passageway for conducting
- 25 water.
- 26 27. The drainage tube system of Claim 26, wherein said
- 27 drainage tubes have a second hollow passageway for
- 28 conducting water.
- 29 28. An irrigation system, comprising one or more
- 30 drain/supply tubes, said drain/supply tubes having a
- 31 generally planar lower surface and a generally curved upper
- 32 surface, said upper surface having a low profile, and said
- 33 drainage tube having a first hollow passageway for
- 34 conducting water away from a planter, and a second hollow
- 35 passageway for conducting water towards a planter.